

OFF ROAD • AUTOMOTIVE •TRANSPORT •ENGINEERING • AGRICULTURAL •MARINE

LED WORK LAMPS, LIGHT BARS & ACCESSORIES





UBLights designed the LW series to provide light when you need it, where you need it, and how you need it.

Our line of high quality, durable, rugged, and affordable LED lighting products will make sure that you are never in the dark, and always ready to conquer the road ahead.

We offer outdoor-ready LED work lights, driving lights, light bars as well as the accessories you need to truly Own The Night



CONTENTS

3" Cube Lights	
LW03026-7	
LW0303-4F6-7	
LW0303-4S6-7	
LW0303-6F6-7	
LW0303-6S6-7	
LW0303-CFP66-7	
LW0303F-6F6-7	
LW0302-2K6-7	
LW0303-2K6-7	
LW 5 Series Work Lights	
LW50020-18-9	
LW50040-98-9	
LW50050-68-9	
LW52040-68-9	
LW53030-58-9	
LW53500-68-9	
LW54020-338-9	
LW54040-68-9	
LW54040-98-9	
LW55050-98-9	
LW56040-138-9	
LW3030-MRS-5 Safety Light 10	
Tributo 7 Miles o Gallery Light	
LED Safety Flares	
LSL4016-AF-CS11	
LSL4012-3-AF	
L3L401Z-3-71	
IW/OO7 Pugged Work light	
LW6007 Rugged Work Light12	

LW6008 Series Compact Light Bar LW6008 LW6008-5 LW6008F	13 13
LWRL-4RGB Rock Lights	14
LW8 Series Single Row Light Bars	15 15
LW15 Series Halo Single Row Light	t
Ears LW1500900 LW1501700 LW1502500 LW1503400 LW1504200 LW1505000	16 16 16
LW9 Series Double Row Light Bars LW90803 LW91053 LW93003 LW92303 LW93203 LW94203	17 17 17 17





 $@\ own the night_ublights$

CONTENTS

LW101353	18
LW102203	
LW103303	18
LW104203	18
LW105003	18
LW11 Series Curved Light Bars	
LW111353	21
LW112153	
LW113153	
LW114153	
LW115003	
LW115403	
LW12 Series White/Green Light	
LW121353	
LW122203	
LW103303	
LW104203	
	22
LW105003	
LED Head, Fog, & Driving Light	S
LED Head, Fog, & Driving Light	s 24-25
LED Head, Fog, & Driving Light	\$ 24-25 24-25

LWDL7000-16......24-25 LWDL9000-6......24-25

LW10 Series White/Amber Light Bars

LWBR0001	26
LWBR0002	26
LWBR0003	26
LWBR0004	26
LWBR0006	26
LWBR0007	26
LWBR0008	27
LWBR0009	27
LWBR0010	27
LWBR0011	27

LWBR001227 LWBR001327 LWBR001428 PT6800-DT128 PT6800-DT228 LWRC10......28

Brackets & Accessories



LW03 Series 3" Cube Lights

Responding to the increased demand for small, efficient, lighting options, UBLights developed the 03X Series Cube Lights. We designed them to be powerful, with the lumens of many larger lamps, but without increasing draw on your battery.

Each of the 03 Series lights includes a female Deutsch connector integrated to the design, and all are extensively tested to ensure that they withstand not only the usual conditions of vehicle operation, but the much harsher conditions of offroad and industrial use.

- Reverse Voltage Protection
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Powder Coated U-Bracket & Stainless Steel Hardware
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard
- Expected Lifecycle of 50,000 Hours
- Includes Integral Female Deutsch Connector

LW0302

960 Lumens



LW0303-6F

2520 Lumens

LW0303-4F

1680 Lumens



LW0303-6S

2520 Lumens





LW0303-CFP6

1680 Lumens













LW0303F-6F

LW0302-2K

LW0303-2K

1500 Lumens

1680 Lumens Each 2520 Lumens Each





battery connection, fuse & in-dash on/off switch



2 flood lamps w/female Deutsch connectors, 18 ft harness w/2 mating male Deutsch receptacles, battery connection, fuse & in-dash on/off switch







ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW0302	IP67	4 X 3W	10V - 30V	1.1A @ 12V	FLOOD	3.25"W X 3.25"D X 3"H
LW0303-4F	IP67	4 X 5W	10V - 30V	1.34A @ 12V	FLOOD	3.25"W X 3.25"D X 3"H
LW0303-4S	IP67	4 X 5W	10V - 30V	1.34A @ 12V	SPOT	3.25"W X 3.25"D X 3"H
LW0303-6F	IP67	6 X 5W	10V - 30V	1.38A @ 12V	FLOOD	3.25"W X 3"D X 3.25"H
LW0303-6S	IP67	6 X 5W	10V - 30V	1.38A @ 12V	SPOT	3.25"W X 3"D X 3.25"H
LW0303-CFP6	IP67	6 X 3W	10V - 30V	1.38A @ 12V	FLOOD	3.25"W X 3"D X 3.25"H
LW0303F-6F	IP67	6 X 4W	10V - 30V	1.38A @ 12V	FLOOD	3.25"W X 3"D X 3.25"H
LW0302-2K	IP67	4 X 5W	10V - 30V	1.34A @ 12V	FLOOD	3.25"W X 3.25"D X 3"H
LW0303-2K	IP67	6 X 5W	10V - 30V	1.38A @ 12V	FLOOD	3.25"W X 3"D X 3.25"H



LW5 Series Work Lights

LED work lights may not be as glamorous as some other products, but these are the backbone of modern safety and lighting gear. Designed to be rugged, durable, and hassle-free, the work light collection is found where work can't stop because the sun does. We see our lights in agriculture, construction, shipping & port management, emergency services, and more.

- Flood Beam Pattern
- Reverse Voltage Protection
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Stainless Steel Hardware
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard

LW50020-1

700 Lumens



LW52040-6 1200 Lumens



LW50040-9 LW50050-6

1800 Lumens 1200 Lumens



LW53030-5

975 Lumens



LW53500-6

1440 Lumens









LW54020-33

726 Lumens



LW54040-6

3660 Lumens



LW54040-9

1800 Lumens



LW55050-9

3450 Lumens



LW56040-13

3510 Lumens





ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW50020-1	IP67	1 X 10W	10V - 30V	1A @ 12V	FLOOD	2" ROUND
LW50040-9	IP67	9 X 3W	10V - 30V	1.7A @ 12V	FLOOD	5" ROUND
LW50050-6	IP67	6 X 3W	10V - 30V	1.4A @ 12V	FLOOD	5" ROUND
LW52040-6	IP67	6 X 3W	10V - 30V	1.4A @ 12V	FLOOD	4"W X 2"H
LW53030-5	IP67	5 X 3W	10V - 30V	1A @ 12V	FLOOD	3"W X 3"H
LW53500-6	IP67	6 X 3W	10V - 30V	1.1A @ 12V	FLOOD	3.5" ROUND
LW54020-33	IP67	33 X .2W	10V - 30V	.54A @ 12V	FLOOD	4"W X 2"H
LW54040-6	IP67	6 X 7W	10V - 30V	2.3A @ 12V	FLOOD	4" SQUARE
LW54040-9	IP67	9 X 3W	10V - 30V	1.8A @ 12V	FLOOD	4"W X 4"H
LW55050-9	IP67	9 X 5W	10V - 30V	3.3A @ 12V	FLOOD	5" SQUARE
LW56040-13	IP67	13 X 3W	10V - 30V	2.54A @ 12V	FLOOD	6''W X 4"H OVAL

LW3030-MRS-5 Safety Light

1280 Lumens



IP Rating	Diodes	Voltage
IP67	5 x 3W	10V - 30V
Amp Draw	Rated Life	Dimensions
1.2A @ 12V	50,000 hrs	3.5"W x 7.5"H

- Spot Beam Pattern
- Modes: High Output, Low Output, Flashing
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Magnetic Base
- Includes 12v DC Car Charger & Wall Charger
- USB Charging Port Acts As A Backup Battery! (cable not included)







@ ownthenight_ublights

LED Safety Flares

Replacing old-fashioned striker-type flares, our LED flares are a great addition to every safety kit!

Each option is long-lasting, durable, compact, bright, and designed to work in any climate, environment, or situation.

Unlike some other LED flares out there, all of UBLights LED Safety Flares are reusable, and can either be recharged or have the battery replaced - removing the need to throw them out!


Get yours today, and upgrade your safety kit to the best flare option!





LSL4016-AF-CS

Rechargeable




- Magnetic
- Waterproof & Floats
- TPR Housing
- 9 Flash Patterns
- Visible Up To 1.2 Miles
- Can be used in hot or freezing temperatures (-40° 212°F) and underwater.



LSL4012-3-AF	IP67	Kickstand
Diodes	Run Time	Dimensions
12 Amber LED	Up to 10 hrs	4.25" x 1.25"
3 White	·	

- Magnetic
- Waterproof & Floats
- TPR Housing
- 9 Flash Patterns
- Visible Up To 1.2 Miles
- Can be used in hot or freezing temperatures (-40° 140°F) and underwater.





Includes 6 rechargeable LED flares, case, wall and car chargers

LSL4012-3-AF Needs 3 AAA Batteries



Requires 3 AAA batteries, not included. Li-ion suggested for best performance.



@owningthenight



@ ownthenight_ublights



@ownthenight_ubl

LW6007 Rugged Work Light



Part #	IP Rating	Diodes	Voltage
LW6007	IP67	7 X 10W	10V - 30V
Amp Draw	Rated Life	Dimensions	
4.95 @ 12V	30,000 hrs	6" Diameter / 3"	Deep
2.47 @ 24V			

- Wide Flood Beam Pattern
- Reverse Voltage Protection
- High UV Resistant Polyester Powder Coated Aluminum Housing
- Polycarbonate Lens
- Adjustable Mounting Brackets for Mounting Horizontally or Vertically
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard









7000 Lumens









LW6008 Series Compact Light Bars

Small, convenient, and ready for anything, the LW6008 Series features 6 bright LEDs, designed with a flood patten and center spot - offering the most bang for the buck. We also offer variations on the theme: the -5 offers an integral female Deutsch connector, and the F a metal flange.

The IP69K rating means this light is not only sealed against dust, but rated to take power-wash-level streams of water from multiple directions at once. This make the LW6008 Series perfect for mud runs, use on your boat trailer, or even as the main light on an airboat.

- Light Penetration Up To 450 Ft.
- Flood Beam With Center Spot
- Reverse Voltage Protection
- Cast Aluminum Housing w/High UV Resistant Polyester Powder Coatina
- Polycarbonate Lens
- E-Coated Steel Bracket
- Vibration Tested To SAE J575 Standard

LW6008

LW6008-5

LW6008F

1440 Lumens

1440 Lumens

1440 Lumens













ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW6008	IP69K	6 X 3W	10V - 30V	1.42A @ 12V	COMBO	6.25"W x 2.25"D x 2"H
LW6008-5	IP69K	6 X 3W	10V - 30V	1.42A @ 12V	COMBO	6.25"W x 2.25"D x 2"H
LW6008F	IP69K	6 X 3W	10V - 30V	1.42A @ 12V	COMBO	6.25"W x 2.25"D x 2"H



@ ownthenight_ublights

LWRL-4RGB Rock Lights

Designed to be a cool accent light, UBLights LWRL-4RGB Rock Lights add a pop of color to your vehicle - any color you want!

Each set contains 4 light units, and a central control box, which connects via Bluetooth® to an app on your phone, letting you set the color and behavior of the lights!

Our rock lights are IP67 rated, protecting them from the mud, water and road dust your tires kick up. The housings are light-weight, rustproof aluminum, and feature stainless steel hardware.

- LED Rock Light Set
- 110 Lumens
- Bluetooth® Wireless Technology
- 2" Wide
- 4 Lights with 1 CREE Diode Set @ 3W Each
- 9V 32V Range
- RGB 16 Million Color Combos
- Black Aluminum Housing
- Stainless Steel Hardware
- Includes Harness & Control Box
- UBLights Uses the BLEDIM app for the LWRL-4RGB Lights









LW8 Series Single Row Light Bars

Our LW8X light bar collection provides the best power for the money in single row bar lines. We start with 5 watt CREE diodes, and back that performance up with a UV resistant powder coat over a durable aluminum housing. We finish the assembly with a polycarbonate lens for clarity, strength, and resistance to the elements. The finished light is rated IP67 - dustproof and water resistant.

The LW8 Series are slim enough to fit into spaces where a double-row simply won't go, and powerful enough to keep your path (or road) visible in the darkest night.

- Reverse Voltage Protection
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Adjustable Mounting Brackets for Mounting Horizontally or Vertically
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard
- Includes sealed connector and 18 ft plug-and-go harness w/ in-dash on/off switch, relay, and fuse



ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW81000	IP67	6 X 5W	10V - 30V	2.42A @ 12V	SPOT	11"W x 2"D x 2.25"H
LW82000	IP67	12 X 5W	10V - 30V	4.75A @ 12V	COMBO	20"W x 2"D x 2.25"H
LW83000	IP67	18 X 5W	10V - 30V	7.2A @ 12V	COMBO	30"W x 2"D x 2.25"H
LW84000	IP67	24 X 5W	10V - 30V	9.8A @ 12V	COMBO	40"W x 2"D x 2.25"H
LW85000	IP67	30 X 5W	10V - 30V	12.1A @ 12V	СОМВО	50"W x 2"D x 2.25"H





LW15 Series Halo Single Row Light Bars

Our LW15 Series is a unique product with a lot of potential for your vehicle.

Each of the LED diodes is encircled by a halo - offering you three brightness options: DRL-like halo only. LED main diode only, or both combined! This expands the use options of each bar, and allows you to choose your own light levels based on your current needs!

Each LW15 Series light includes a wiring harness with on/off switches.

- Single Row LED Light Bar with Halo Ring
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Stainless Steel Hardware
- Harness Included















34" **16 LED** 14,550 lm

42" **20 LED** 19,200 lm



5	50"	
	24 LED	
	21,660	lm

ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW1500900	IP67	4 X 10W	2V - 32V	2A @ 12V	COMBO	8"W x 4.5"D x 4.5"H
LW1501700	IP67	8 X 10W	2V - 32V	6A @ 12V	COMBO	10.5"W x 3"D x 3"H
LW1502500	IP67	12 X 10W	2V - 32V	8A @ 12V	COMBO	20"W x 3"D x 3"H
LW1503400	IP67	16 X 10W	2V - 32V	12A @ 12V	COMBO	23"W x 3"D x 3"H
LW1504200	IP67	20 X 10W	2V - 32V	16A @ 12V	COMBO	32"W x 3"D x 3"H
LW1505000	IP67	24 X 10W	2V - 32V	18A @ 12V	СОМВО	42"W x 3"D x 3"H





LW9 Series Double Row Light Bars

The LW9 double-row light bar collection is the go-to off-road choice for the best performance, without breaking the bank. We start with 2 rows of 3 watt CREE diodes, and back that performance up with a UV resistant powder coat over a durable aluminum housing. We finish the assembly with a polycarbonate lens for clarity, strength, and resistance to the elements. The finished light is rated IP67 - dustproof and water resistant.

All of our lights in the LW9X Series include a sealed connector as well as an 18 ft plug-and-go harness with in-dash on/off switch, relay, and fuse.

- Reverse Voltage Protection
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Adjustable Mounting Brackets for Mounting Horizontally or Vertically
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard
- Includes sealed connector and 18 ft plug-and-go harness w/ in-dash on/off switch, relay, and fuse



ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW90803	IP67	12 X 3W	10V - 30V	2.4A @ 12V	SPOT	8"W x 4.5"D x 4.5"H
LW91053	IP67	18 X 3W	10V - 30V	3.2 @ 12V	COMBO	10.5"W x 3"D x 3"H
LW92003	IP67	36 X 3W	10V - 30V	6.4A @ 12V	COMBO	20"W x 3"D x 3"H
LW92303	IP67	42 X 3W	10V - 30V	8.4A @ 12V	COMBO	23"W x 3"D x 3"H
LW93203	IP67	60 X 3W	10V - 30V	11.5A @ 12V	COMBO	32"W x 3"D x 3"H
LW94203	IP67	78 X 3W	10V - 30V	16A @ 12V	COMBO	42"W x 3"D x 3"H
LW95003	IP67	96 X 3W	10V - 30V	18.8A @ 12V	COMBO	50"W x 3"D x 3"H





LW10 Series White/Amber Light Bars

UBLights designed the LW10 Series to provide quality, durability, and safety. We started with a double row of Cree LED diodes, encased in a durable aluminum housing, with our polycarbonate lens up front. Then we added a remote control, enabling you to activate the lights when you aren't even in the vehicle! Both white and amber have a strobe function as well.

All LW10 Series lights include a multifunction remote, sealed connector, and 18' wiring harness featuring an in-dash on/off switch, relay, and fuse.

- Two Color Multi-Function Light Bar
- Combo Beam Pattern
- White / White Strobe & Amber / Amber Strobe Functions
- Includes Remote Control
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Adjustable Mounting Brackets for Mounting Horizontally or Vertically
- Corrosion Protection Tested To ATSM B117 Standard
- Includes sealed connector and 18 ft plug-and-go harness w/ in-dash on/off switch, relay, and fuse



ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW101353	IP67	24 X 3W	10V - 30V	2.6A @ 12V	COMBO	13"W x 4.75"D x 4.5"H
LW102203	IP67	40 X 3W	10V - 30V	4.8A @ 12V	COMBO	22"W x 4.75"D x 4.5"H
LW103303	IP67	60 X 3W	10V - 30V	8.2A @ 12V	COMBO	33"W x 4.75"D x 4.5"H
LW104203	IP67	80 X 3W	10V - 30V	10.4A @ 12V	COMBO	42"W x 4.75"D x 4.5"H
LW105003	IP67	96 X 3W	10V - 30V	12.8A @ 12V	COMBO	50"W x 4.75"D x 4.5"H









@ ownthenight_ublights







LW11 Series Curved Light Bars

Designed to better fit the curves and contours of pickup trucks, our double-row curved light bars offer a broader spread of light - panoramic, if you will. This gives the driver a larger light field, and increases not only forward, but also peripheral illumination. And more light means more visibility.

All LW11X LED Light Bars include a sealed connector and 18' plug-and-go harness, with in-dash on/off switch, relay, and fuse.

- Combo Beam Pattern
- Curved
- High UV Resistant Polyester Powder Coated Black Aluminum Housing
- Polycarbonate Lens
- Adjustable Mounting Brackets for Mounting Horizontally or Vertically
- Vibration Tested To SAE J575 Standard
- Corrosion Protection Tested To ATSM B117 Standard
- Color Temperature 6000K
- Includes sealed connector and 18 ft plug-and-go harness w/ in-dash on/off switch, relay, and fuse



ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW111353	IP67	24 X 3W	10V - 30V	4.2A @ 12V	COMBO	13.5"W X 3.5"D X 3"H
LW112153	IP67	40 X 3W	10V - 30V	8.2A @ 12V	COMBO	21.5"W X 3.5"D X 3"H
LW113153	IP67	60 X 3W	10V - 30V	12A @ 12V	COMBO	31.5"W X 3.5"D X 3"H
LW114153	IP67	80 X 3W	10V - 30V	15.9A @ 12V	COMBO	41.5"W X 3.5"D X 3"H
LW115003	IP67	96 X 3W	10V - 30V	16.6A @ 12V	COMBO	10"W X 3.5"D X 3"H
LW115403	IP67	104 X 3W	10V - 30V	20.3A @ 12V	COMBO	54"W X 3.5"D X 3"H





LW12 Series White/Green Light Bars

We started the LW12 Series with a double row of Epistar LED diodes, added 4D spot reflectors, encased in a durable aluminum housing (powder coated in a UV resistant finish), with our polycarbonate lens up front. Then we added green LEDs to let you see the darkened trails in front of you, without messing with your night vision.

All LW12X Series lights include a sealed triangular connector, and 18' wiring harness featuring an in-dash on/off switch, relays, and fuse.

- Spot Beam Pattern
- Green or White Light
- High UV Resistant Powder Coated Aluminum Housing
- Polycarbonate Lens
- 6000K Color Temperature White, 2200K Amber
- Corrosion Protection Tested To ATSM B117 Standard
- Aluminum Firm Mounting Brackets
- 4D Reflector
- Includes sealed connector and 18 ft plug-and-go harness w/ in-dash on/off switch, relay, and fuse



Lumen Rating represents white output only.

ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LW121353	IP67	24 X 3W	10V - 30V	2.6A @ 12V	SPOT	13.5"W x 4.75"D x 4.5"H
LW122203	IP67	40 X 3W	10V - 30V	4.8A @ 12V	SPOT	22"W x 4.75"D x 4.5"H
LW123303	IP67	60 X 3W	10V - 30V	8.2A @ 12V	SPOT	33"W x 4.75"D x 4.5"H
LW124203	IP67	80 X 3W	10V - 30V	10.4A @ 12V	SPOT	42"W x 4.75"D x 4.5"H
LW125003	IP67	96 X 3W	10V - 30V	12.8A @ 12V	SPOT	50"W x 4.75"D x 4.5"H











LED Head, Fog, & Driving Lights



LFL0401

LHL0701

1440 Lumens Each 120 / 1750 / 3550 Lumens 120 / 2400 / 4000 Lumens

LHL0702







30W LED Fog Lamp Set

@owningthenight

- 4" Lamp
- White Halo
- Black Housina
- **DRL** Function

- 75W LED Headlamp Set
- Daytime Running Light / Low Beam / High Beam
- 120 Lumens / 1750 Lumens / 3550 Lumens
- Black Housing
- Designed for Jeep Headlight Housings
- Includes H4 to H13 adapters
- NON-DOT / OFF ROAD USE **ONLY**

- 80W LED Headlamp Set
- Daytime Running Light / Low Beam / High Beam
- 120 Lumens / 2400 Lumens / 4000 Lumens
- Die Cast Aluminum Housing & PMMA Lens
- White Half-Halo
- Includes Anti-Flicker Harness, H4 to H13 & Canbus adapters
- DOT Approved









LWDL7000-6 LWDL7000-16 LWDL9000-6

5400 Lumens

4320 Lumens

5400 Lumens









ITEM #	IP RATING	DIODES	VOLTAGE	DRAW	BEAM	SIZE
LFL0401	IP67	6 X 5W	10V - 30V	1.75A @ 12V	FOG	4" ROUND
LHL0701	IP67	13 X 5W	10V - 30V	6A @ 12V	HEADLIGHT	7" ROUND
LHL0702	IP67	6 X 10W	10V - 30V	6A @ 12V	HEADLIGHT	7" ROUND
LWDL7000-6	IP67	6 X 10W	10V - 30V	5.4A @ 12V	SPOT	7" ROUND
LWDL7000-16	IP67	16 X 3W	10V - 30V	3.9A @ 12V	СОМВО	7" ROUND
LWDL9000-6	IP67	6 X 10W	10V - 30V	3.6A @ 12V	DRIVING	9" ROUND

LWBR0001

Hood Mount Kit



Part

LWBR0001

- Hood Mount
- For 20" & 22" Light Bars
- Designed for Jeep Wrangler, 2007 2015

LWBR0002

Bar Clamp



Part

LWBR0002

- Universal Bar Clamp
- 1.25"
- Aluminum
- Designed for LED Work Lights

LWBR0003

Bar Clamp



Part

LWBR0003

- Universal Bar Clamp
- 1.5", 1.75", & 2"
- Aluminum w/Rubber Insert
- Designed for LED Work Lights

LWBR0004

Bar Clamp



Part

LWBR0004

- Universal Bar Clamp
- 2.5"
- Aluminum
- Designed for LED Work Lights

LWBR0006

Bull Bar Clamp



Part

LWBR0006

- Universal Bull Bar Clamp
- 1.5"
- Aluminum
- Designed for LED Light Bars

LWBR0007

Bull Bar Clamp



Part

LWBR0007

- Universal Bull Bar Clamp
- 1.75"
- Aluminum
- Designed for LED Light Bars



@owningthenight



@ ownthenight_ublights



@ownthenight_ubl

LWBR0008

Brow Mount Kit



Part

LWBR0008

- Brow Mount Kit
- SVT Raptor
- Designed for Straight & Curved LED Light Bars

LWBR0009

Windshield Mount Kit



Part

LWBR0009

- Upper Windshield Mount Kit
- Jeep JK 2007 2015
- Designed for Straight & Curved LED Light Bars

LWBR0010

Hood Mount Kit



Part

LWBR0010

- Hood Mount Kit
- For 10" Light Bars
- Jeep Wrangler 2007 2015

LWBR0011

A Pillar Mount Kit



Part

LWBR0011

- A-Pillar Mount Kit
- Jeep Wrangler 2007 2015

LWBR0012

A Pillar Mount Kit



Part

LWBR0012

- A-Pillar Mount Kit
- Jeep Wrangler 2007 2015

LWBR0013

Windshield Mount Kit



Part

LWBR0013

- Windshield Auxillary Mount Kit
- Jeep Wrangler 2007 2015







LWBR0014

Bull Bar Clamp



Part

LWBR0014

- Universal Bull Bar Clamp
- 2
- Aluminum
- Designed for LED Light Bars

PT6800-DT2

Harness



Part

PT6800-DT1

- Wire Harness, 18 Feet
- 2 Deutsch Connectors
- 30 Amp Relay Fuse
- Rocker Switch (1)

PT6800-DT1

Harness



Part

PT6800-DT1

- Wire Harness, 18 Feet
- 1 Deutsch Connector
- 30 Amp Relay Fuse
- Rocker Switch (1)

LWRC10

Remote



Part

LWBR0012

 Remote Control for LW10x Series Multifunction Light Bars





29



IP67 Ingress Protection

This rating means that the item is dust tight, no ingress of dust over a test duration of up to 8 hours. These lights are also watertight, tested by immersion in up to 1 meter of water for no less than 30 minutes.



This rating means that the item is dust tight, no ingress of dust over a test duration of up to 8 hours. These lights are also waterproof, designed for continuous use underwater, up to 3 meters.



This rating means that the item is dust tight, no ingress of dust over a test duration of up to 8 hours. These lights are also watertight, and protected against high pressure spray and steam cleaning.



CE Marking

CE marking indicates that the manufacturer claims compliance with the relevant EU legislation applicable to a product, regardless of where manufactured.



E-mark certification
E-mark Certification

The E-Mark Certification is a widely recognized mark in the automotive industry covering the basic safety requirements of motor vehicles and other related products within the European Economic Area.



RoHS Compliance

RoHS stands for Restriction of Hazardous Substances, RoHS originated in the European Union and restricts the use of six hazardous materials found electrical and electronic products.



SAE J575

This test evaluates the ability of the sample device to resist damage from vibration induced stress, over a minimum of 60 minutes.



ASTM B117

Salt Spray (Fog) Test is used to evaluate the relative corrosion resistance of coated and uncoated materials exposed to a salt spray or fog at an elevated temperature, usually 95°F for a minimum of 24 hours.







Why do we say that with UBLights you Own The Night? Because you do. It's that simple. Our trail-ready LED light bars throw bright, steady, white light hundreds of feet ahead of you, helping make sure you see what is coming next. Our LED light bars project at 6500 Kelvin - simulating noon on a cloudless day.



The difference is obvious - from night...

To Day...**That** is Owning The Night!





@owningthenight



@ ownthenight_ublights



@ownthenight_ubl



UBLights Platinum Series LED Light Bars, Work Lamps, and Portable Lamps are designed for hard use in any environment. All of our bars and lights are rated to at least IP67 - completely sealed against dust and rated to full submersion in up to a meter of water.

UBLights LED Light Bars are perfect for any use where bright, durable, lights are needed - from lift trucks to farm equipment to off-road vehicles and boats.

With UBLights, you will need sunglasses at night!



17311 SOUTH FUSION WAY COUNTRY CLUB HILLS, IL 60478 p. 708.365.8647 f. 708.957.9183 www.ublights.com

@ublights_ownthenightfacebook.com/UBLights

www.ublights.com